


Q1. What are the numbers of hadrons, baryons and mesons in an atom of ${}^7_3\text{Li}$?

	hadrons	baryons	mesons	
A	7	3	3	<input type="checkbox"/>
B	7	4	4	<input type="checkbox"/>
C	7	7	0	<input type="checkbox"/>
D	10	7	0	<input type="checkbox"/>

(Total 1 mark)

Q2. Electron capture can be represented by the following equation.



Which row correctly identifies **X** and **Y**?

	X	Y	
A	p	K^-	<input type="checkbox"/>
B	e^-	e^+	<input type="checkbox"/>
C	n	ν_e	<input type="checkbox"/>
D	n	π^0	<input type="checkbox"/>

(Total 1 mark)


Q3. Electrons and protons in two beams are travelling at the same speed. The beams are diffracted by objects of the same size.

Which correctly compares the de Broglie wavelength λ_e of the electrons with the de Broglie wavelength λ_p of the protons and the width of the diffraction patterns that are produced by these beams?

	comparison of de Broglie wavelength	diffraction pattern	
A	$\lambda_e > \lambda_p$	electron beam width > proton beam width	<input type="checkbox"/>
B	$\lambda_e < \lambda_p$	electron beam width > proton beam width	<input type="checkbox"/>
C	$\lambda_e > \lambda_p$	electron beam width < proton beam width	<input type="checkbox"/>
D	$\lambda_e < \lambda_p$	electron beam width < proton beam width	<input type="checkbox"/>

(Total 1 mark)

- Q4.** The diagram shows the path of an α particle deflected by the nucleus of an atom. Point P on the path is the point of closest approach of the α particle to the nucleus.



Which one of the following statements about the α particle on this path is correct?

- A Its acceleration is zero at P.
- B Its kinetic energy is greatest at P.
- C Its speed is least at P.
- D Its potential energy is least at P.

(Total 1 mark)

- Q5.** A radioactive nucleus emits a β^- particle then an α particle and finally another β^- particle. The final nuclide is

- A an isotope of the original element
- B the same element with a different proton number
- C a new element of higher proton number
- D a new element of lower nucleon number

(Total 1 mark)

Q6. In a nuclear reaction $^{14}_7\text{N}$ is bombarded by neutrons. This results in the capture of one neutron and the emission of one proton by one nucleus of $^{14}_7\text{N}$. The resulting nucleus is

- A $^{13}_7\text{N}$
- B $^{14}_6\text{C}$
- C $^{12}_6\text{C}$
- D $^{14}_8\text{O}$

(Total 1 mark)

Q7. A calcium ion is formed by removing two electrons from an atom of $^{40}_{20}\text{Ca}$. What is the specific charge of the calcium ion?

- A $3.2 \times 10^{-19} \text{ C kg}^{-1}$
- B $2.9 \times 10^{-18} \text{ C kg}^{-1}$
- C $4.8 \times 10^6 \text{ C kg}^{-1}$
- D $4.8 \times 10^7 \text{ C kg}^{-1}$



(Total 1 mark)

Q8. Which of the following is **not** true?

- A Each meson consists of a single quark and a single antiquark.
- B Each baryon consists of three quarks.
- C The magnitude of the charge on every quark is $\frac{1}{3}$
- D A particle consisting of a single quark has not been observed.

(Total 1 mark)

Q9. The nucleus of ${}^9_4\text{Be}$ captures a proton and emits an α particle. What is the product nucleus?



(Total 1 mark)

Q10. An electron collides with a neutral atom and ionizes it. Which of the following describes the particles present after the collision?

A An electron and an excited atom.

B An excited atom containing an excess electron.

C Two electrons and a positive ion.

D Two electrons and a neutral atom in the ground state.

(Total 1 mark)

M1.	C	[1]
M2.	C	[1]
M3.	A	[1]
M4.	C	[1]
M5.	A	[1]
M6.	B	[1]
M7.	C	[1]
M8.	C	[1]
M9.	C	[1]
M10.	C	[1]

